







斯特爾全不銹鋼沉水泵浦

大樓專用

60Hz



性能曲線



SK-10、SK-20


尺寸與重量 標準型

型式	尺寸 [mm]			口徑 [Inch]	重量 [kg]
	A	B	C	D	
SK 10-5	114.4	270.5	476	1.5"	10.5
SK 20-4	114.4	293.5	515.5	2"	12.5
SK 30-5	125.4	279	532	2"	17.5

型式	尺寸 [mm]				口徑 [Inch]		重量 [kg]
	A	B	C	D	E	F	
SK 50-3	164	304	607	604.5	3"	2"	30.5
SK 75-3	164	324	684	681.5	3"	2"	35
SK 100-4	164	374	791	788.5	3"	2"	40.5
SK 150-4	164	435	867	864	4"	3"	50
SK 200-5	164	475	967	964	4"	3"	55.5
SK 250-7	164	520	1132	1129	4"	3"	56.8
SK 300-9	164	570	1302	1299	4"	3"	70.2






技術資料 標準型

型式	馬力 [HP]	口徑 [Inch]		相數 [Phase]	電壓 [V]	安培 [A]	額定流量 Q[l/min]	額定揚程 H[m]	最大流量 Qmax[l/min]	最高揚程 Hmax[m]
SK 10-5	1	1.5"		1	110V	11A	80	28	125	45
					220V	6A				
					220V	4A				
					380V	2A				
SK 20-4	2	2"		1	220V	12A	150	27	265	36
					220V	7.5A				
					380V	4.5A				
SK 30-5	3	2"		3	220V	8.5A	200	30	290	47
					380V	5A				
SK 50-3	5	2"	3"	3	220V	15A	250	48	400	65
					380V	9A				
SK 75-3	7.5	2"	3"	3	220V	19A	500	38	790	63
					380V	11A				
SK 100-4	10	2"	3"	3	220V	27A	500	50	800	84
					380V	16A				
SK 150-4	15	3"	4"	3	220V	41A	650	60	1070	87
					380V	23A				
SK 200-5	20	3"	4"	3	220V	53A	750	60	1390	91
					380V	31A				
SK 250-7	25	3"	4"	3	220V	69A	822	74	1361	127
					380V	41A				
SK 300-9	30	3"	4"	3	220V	85A	830	90	1328	158
					380V	49A				



SK-30

性能曲線




尺寸與重量 高揚程 大樓專用

型式	尺寸 [mm]				口徑 [Inch]		重量 [kg]
	A	B	C	D	E	F	
SK 50-4	164	304	645	642.5	3"	2"	31.2
SK 75-5	164	324	703	700.5	3"	2"	35.6
SK 100-6	164	374	791	788.5	3"	2"	41
SK 150-7	164	435	1026	1023	4"	3"	51.3
SK 200-6	164	475	1027	1024	4"	3"	56.4
SK 250-8	164	520	1192	1189	4"	3"	66.6

技術資料 高揚程 大樓專用

型式	馬力 [HP]	口徑 [Inch]		相數 [Phase]	電壓 [V]	安培 [A]	額定流量 Q[l/min]	額定揚程 H[m]	最大流量 Qmax[l/min]	最高揚程 Hmax[m]
SK 50-4	5	2"	3"	3	220V	13A	183	58	327	87
					380V	8A				
SK 75-5	7.5	2"	3"	3	220V	22A	260	73	393	108
					380V	13A				
SK 100-6	10	2"	3"	3	220V	25A	260	90	393	131
					380V	16A				
SK 150-7	15	3"	4"	3	220V	41A	480	90	794	148
					380V	25A				
SK 200-6	20	3"	4"	3	220V	53A	600	88	1021	127
					380V	33A				
SK 250-8	25	3"	4"	3	220V	69A	550	120	995	172
					380V	41A				



SK-50、SK-75、SK-100、SK-150、SK-200、SK-250、SK-300

